



Flash Kite

9. Depower kit	VER :	Rev.08
	UPDATED :	01.03.2024




PART	CODE	Material
BLACK	M12551	Cousin12999 GREY
BLACK	M12551	Cousin12999 GREY

Flash 11m



Flash 15m/19M/21m



Flash				
Lines (11m size)			VER :	rev2
Filename: Flash11_ver.2.0			UPDATED :	20.05.2025
Upper line				
	a		b	
1	1140	DC 60 (5Kg)	1160	DC 35 (2Kg)
2	945		975	
3	1040		1050	
4	930		945	
5	965		975	
6	760	DC 35 (2Kg)	775	
7	880		890	
8	790		805	
9	740		1665	
10	665		795	
11	1835		735	
Middle				
	A		B	
1	1540	DC 100 (5Kg)	1590	DC 60 (5Kg)
2	1290		1360	
3	1195		1210	
4	915		935	
5	1235	DC 60(5Kg)	785	DC 35 (2Kg)
Main				
	A		B	
1	2675	DC 161 (10Kg)	2620	DC 100 (5Kg)
2	2545		2550	
3	2060	DC 100 (5Kg)	2410	DC 60 (5Kg)

Check Data for the Flash 11m

	A	Wing left	Diference	Wing right	Difference	Symetric	BR	Wing left	Diference	Wing right	Difference	Symetric
1	5370		-5370		-5370	0	5385		-5385		-5385	0
2	5175		-5175		-5175	0	5200		-5200		-5200	0
3	5015		-5015		-5015	0	5045		-5045		-5045	0
4	4905		-4905		-4905	0	4940		-4940		-4940	0
5	4715		-4715		-4715	0	4745		-4745		-4745	0
6	4515		-4515		-4515	0	4545		-4545		-4545	0
7	4360		-4360		-4360	0	4395		-4395		-4395	0
8	4270		-4270		-4270	0	4305		-4305		-4305	0
9	4050		-4050		-4050	0	4085		-4085		-4085	0
10	3975		-3975		-3975	0	4005		-4005		-4005	0
11	3910		-3910		-3910	0	3940		-3940		-3940	0

Riser A

Riser BR

Flash				
Lines (15m size)			VER :	rev1
Filename:		Flash15_ver.1.0	UPDATED :	01.03.2024
Upper line				
	a		b	
1	1245	DC 60 (5Kg)	1260	DC 35 (2Kg)
2	1040		1065	
3	1125		1140	
4	1020		1045	
5	1050		1070	
6	850	DC 35 (2Kg)	880	
7	955		965	
8	860		880	
9	1085		940	
10	950		805	
11	2115		1465	
Middle				
	A		B	
1	1730	DC 100 (5Kg)	1735	DC 60 (5Kg)
2	1480		1500	
3	1370		1380	
4	1105		1135	
5	1260	DC 60(5Kg)	760	
Main				
	A		B	
1	3370	DC 161 (10Kg)	3260	DC 100 (5Kg)
2	3205		3090	
3	2540	DC 100 (5Kg)	3110	

Check Data for the Flash 15m

	A	Wing left	Diference	Wing right	Difference	Symetric	BR	Wing left	Diference	Wing right	Difference	Symetric
1	6360		-6360		-6360	0	6270		-6270		-6270	0
2	6155		-6155		-6155	0	6080		-6080		-6080	0
3	5995		-5995		-5995	0	5920		-5920		-5920	0
4	5885		-5885		-5885	0	5820		-5820		-5820	0
5	5645		-5645		-5645	0	5555		-5555		-5555	0
6	5440		-5440		-5440	0	5360		-5360		-5360	0
7	5280		-5280		-5280	0	5205		-5205		-5205	0
8	5185		-5185		-5185	0	5120		-5120		-5120	0
9	4900		-4900		-4900	0	4830		-4830		-4830	0
10	4765		-4765		-4765	0	4695		-4695		-4695	0
11	4670		-4670		-4670	0	4590		-4590		-4590	0

Riser A
Riser BR

Flash				
Lines (19m size)			VER :	rev1
Filename:		Flash19_ver.1.0	UPDATED :	01.03.2024
Upper line				
	a		b	
1	1385	DC 60 (5Kg)	1405	DC 35 (2Kg)
2	1160		1190	
3	1250		1270	
4	1130		1160	
5	1165		1190	
6	935	DC 35 (2Kg)	965	
7	1070		1085	
8	950		975	
9	1205		905	
10	1050		740	
11	2375		1445	
Middle				
	A		B	
1	1915	DC 100 (5Kg)	1920	DC 60 (5Kg)
2	1645		1670	
3	1520		1535	
4	1200		1230	
5	1430	DC 60(5Kg)	805	
Main				
	A		B	
1	3795	DC 161 (10Kg)	3720	DC 100 (5Kg)
2	3610		3525	
3	2790	DC 100 (5Kg)	3685	

Check Data for the Flash 19m

	A	Wing left	Diference	Wing right	Difference	Symetric	BR	Wing left	Diference	Wing right	Difference	Symetric
1	7110		-7110		-7110	0	7060		-7060		-7060	0
2	6885		-6885		-6885	0	6850		-6850		-6850	0
3	6710		-6710		-6710	0	6675		-6675		-6675	0
4	6585		-6585		-6585	0	6565		-6565		-6565	0
5	6310		-6310		-6310	0	6265		-6265		-6265	0
6	6080		-6080		-6080	0	6040		-6040		-6040	0
7	5890		-5890		-5890	0	5860		-5860		-5860	0
8	5775		-5775		-5775	0	5750		-5750		-5750	0
9	5445		-5445		-5445	0	5410		-5410		-5410	0
10	5290		-5290		-5290	0	5250		-5250		-5250	0
11	5185		-5185		-5185	0	5145		-5145		-5145	0

Riser A

Riser BR

Flash				
Lines (21m size)			VER :	rev1
Filename:		Flash21_ver.1.0	UPDATED :	01.03.2024
Upper line				
	a		b	
1	1460	DC 60 (5Kg)	1480	DC 35 (2Kg)
2	1230		1260	
3	1320		1340	
4	1195		1225	
5	1230		1255	
6	990	DC 35 (2Kg)	1025	
7	1130		1145	
8	1005		1035	
9	1275		955	
10	1110		785	
11	2515		1530	
Middle				
	A		B	
1	2020	DC 100 (5Kg)	2025	DC 60 (5Kg)
2	1745		1770	
3	1605		1615	
4	1270		1305	
5	1515	DC 60(5Kg)	850	
Main				
	A		B	
1	4015	DC 161 (10Kg)	3940	DC 100 (5Kg)
2	3830		3750	
3	2975	DC 100 (5Kg)	3925	

Check Data for the Flash 21m

	A	Wing left	Diference	Wing right	Difference	Symetric	BR	Wing left	Diference	Wing right	Difference	Symetric
1	7510		-7510		-7510	0	7465		-7465		-7465	0
2	7280		-7280		-7280	0	7245		-7245		-7245	0
3	7095		-7095		-7095	0	7065		-7065		-7065	0
4	6970		-6970		-6970	0	6950		-6950		-6950	0
5	6685		-6685		-6685	0	6640		-6640		-6640	0
6	6440		-6440		-6440	0	6405		-6405		-6405	0
7	6245		-6245		-6245	0	6215		-6215		-6215	0
8	6125		-6125		-6125	0	6105		-6105		-6105	0
9	5775		-5775		-5775	0	5750		-5750		-5750	0
10	5615		-5615		-5615	0	5585		-5585		-5585	0
11	5505		-5505		-5505	0	5475		-5475		-5475	0

Riser A

Riser BR